



High Performance Snow & Ice Control Equipment



TAILGATE, INSERT HOPPER, DUMP TRUCK AND BROADCAST PREMIUM SPREADERS

Experience The Difference

TAILGATE SPREADERS

Meyer Blaster	2 – 3
Meyer Mate	4 – 5

INSERT HOPPER SPREADERS

Insert Hoppers	6 – 7
Meyer Polyhawk	8 – 9
Meyer PV	10 – 11
Meyer MDV	12 – 13

DUMP TRUCK SPREADERS

Meyer UTG / RTG	14 – 15
-----------------------	---------

TAILGATE CROSS CONVEYOR / BROADCAST SPREADERS

Tailgate Cross Conveyor	16
Hotshot Broadcast Spreaders	17

ANTI-ICER

Meyer Anti-Icer	Back Cover
-----------------------	------------

Meyer

Experience The Difference

*"There is a difference.
You have my word on it."*



Andrew L. Outcalt
Andrew L. Outcalt
President, Meyer Products LLC

Some models shown with optional equipment.

From snow to ice... Meyer has you covered.

Meyer Products has made a commitment to deliver the highest quality snow and ice control equipment in the industry. We've transformed the way we develop, design, manufacture and deliver every product we sell. That's why over the past few years we have undergone a complete transformation. The tradition continues with our full line of premium spreaders. Our spreaders are the perfect solution to controlling snow and ice, while maintaining lots and roadways. From the front to the back of your vehicle, look to Meyer...we have you covered.

Visit www.MeyerProducts.com for more information.

A complete line of premium spreaders for a wide range of applications.

Meyer spreaders cover a wide range of products including compact, easy to maneuver broadcast spreaders that provide four-season performance.

Adding a spreader to your vehicle is a sound investment. Our versatile line of insert hopper or tailgate spreaders is the perfect choice with products that perfectly match any application.

From easy on/off mounting to wireless controllers, our dump truck line of spreaders adds functionality to your vehicle, while providing optimum performance.





Shown with optional rear work and brake lights.

QUICK FACTS

- TYPE:** Tailgate
- VEHICLE:** Light pick-ups to 1-ton pick-ups, tractors with 3-point hitch
- CAPACITY:** 350 lb., 750 lb.
- MATERIALS:** Salt, 50/50 salt-sand, and sand
- CONSTRUCTION:** Polyethylene

The industry's best warranty protection



3 YEARS* Standard
5 YEARS* On all structural steel and hopper

* Blaster Spreaders only with on-line registration.

Meyer Blasters.
More power. Greater reliability.

Meyer® Blaster™ Spreaders have the most powerful spreader motor available. The Blaster's unique ½ horsepower, direct-drive motor is rated at up to 70 amps of surge power to grind through those annoying chunks of salt or sand. And the direct-drive system applies the torque directly to the auger.



Blaster 350S shown

One-touch Auto Control

One-touch operation provides you total control over Blaster spreaders. The illuminated in-cab controller (patent pending) includes on/off switch, blast mode which provides an on-command 70 amp surge, and a vibrate mode. Regulate the spinner speed with the variable speed controller. Spinner stops automatically when brake is applied.



Replaceable automotive style fuses.

Toughest motor available.

Originally designed for military use, the Blaster's 1/2 HP motor is the most powerful motor available today. The direct-drive system links the motor directly to the auger, creating up to 75% more auger power to easily grind through large chunks of material and provide an even material spread pattern.

- 1 Stainless steel shaft
- 2 Cast iron end bells
- 3 Double sealed ball bearings
- 4 Marine grade caulking at all joints
- 5 Water tight harness connections
- 6 Extra large armature and copper windings
- 7 Powder coat finish



Blaster Options




Sander Kit
Lets you spread a 50/50 blend of rock salt and sand or sand only. (Standard on "S" series models)
PART #34600



Motor Guard
Helps protect motor during use. When added to the 750R, it serves as a storage stand when the spreader is removed from the vehicle.
PART #36407



Flow Gate Control
Sets the material flow rate based on the material being used.
PART #34900



Hopper Screen
Prevents large chunks of material into the hopper. Improves material flow. ½" x ½" or 2" x 2" screen size available.
PART #34701 (½"x ½")
PART #34700 (2"x 2")

7 Blaster Mounts Available
Meyer mounts fit SUV's, light trucks and 1/2 ton+ vehicles.

- Both 350 and 750 Models**
- ▶ Receiver Mount (most popular)

- 350 Models**
- ▶ 3-point Hitch Mount
 - ▶ Flat Bed Utility Adapter
 - ▶ Flat Bed Mount

- 750 Models**
- ▶ Hinged Mount
 - ▶ Dump Truck Mount
 - ▶ Fixed Mount



The adjustable spinner accommodates a wide variety of free-flowing materials for four season performance.

QUICK FACTS

- TYPE:** Tailgate
- VEHICLE:** 3/4-ton + pick-ups, tractors with 3-point hitch
- CAPACITY:** 700 lbs. (9.0 cu. ft.)
- MATERIALS:** Salt, 50/50 salt-sand, fertilizer, seed
- CONSTRUCTION:** Polyethylene

Meyer Mate XL.

Strap-on tailgate spreader mounts quickly without tools.

With a generous 9.0 cubic foot capacity (700 lbs.), the Meyer® Mate™ attaches conveniently to your vehicle in minutes without tools. It comes fully assembled for quick installation to your truck's tailgate and bumper – with no drilling required. Various mounting choices are available including a swing-out option that moves the unit out of the way, allowing the owner to access the bed of the truck from the tailgate.

Mounts in minutes...No tools required.

The Mate conveniently mounts to the vehicle's tailgate in minutes with a heavy-duty, adjustable strap... no tools required. A built-in handle makes installation quick and easy.

Indestructible Poly Hopper

The Mate is molded entirely from polymer material and is strapped onto the tailgate. This means you'll get years of dependable, rust-free performance without having to drill or deface the vehicle.



Replaceable automotive style fuses.

One-touch Auto Control

One-touch operation provides you total control over Mate spreaders. The illuminated in-cab controller (patent pending) includes on/off switch, blast mode which provides an on-command 70 amp surge, and a vibrate mode. Regulate the spinner speed with the variable speed controller. Spinner stops automatically when brake is applied.

Power, Direct Drive Motor

A commercial-duty 1/8 HP, 12V direct-drive motor drives the spinner directly off the motor drive shaft, providing positive, energy-efficient power to the agitator system for optimum performance and reliability.



Mate™ Options



3-Point Hitch
Allows the Mate to be used on agricultural equipment. PART #38200



Top Screen
Breaks up clumps to improve material flow. PART #38260



Motor Guard
Protect motor from damage. Mounts to receiver hitch. PART #38250



EZ-Swing Gate
Allows you to use the tailgate when Mate is attached. PART #38010



MDV spreader shown with optional equipment.

Insert Hopper Spreaders.

Meyer offers a complete and diverse line of insert hopper spreaders that are as varied as the conditions you run into everyday. From bed lengths to numerous drive options, these are just a few choices available with our complete insert hopper spreader line.

Meyer® has the insert hopper for you.

Choose your hopper body.

Poly



Stainless Steel



Carbon Steel



Choose your spreader's drive.



Electric
12V sealed motors



Engine over Hydraulic
Available in 10.5 HP Briggs & Stratton engine.



Gas
Available in 10.5 HP Briggs & Stratton engine or a 11.0 HP Honda engine.



Central Hydraulic
Utilizes your vehicles hydraulic system.

Choose your material.

Salt, sand, limestone, cinders or any free-flowing granular material.

The choice is yours.

Spreader Type	Hopper Body	Drive Options	Material Delivery System
Meyer Polyhawk	Poly	Electric, Engine over Hydraulic or Gas	Drag Chain
Meyer PV	Carbon Steel or Stainless Steel	Gas or Central Hydraulic	Drag Chain
Meyer LPV	Stainless Steel	Electric or Gas	Drag Chain
Meyer Utility LPV	Stainless Steel	Electric or Gas	Belt Over Chain
Meyer MDV	Carbon Steel or Stainless Steel	Gas or Central Hydraulic	Drag Chain



Polyhawk shown with optional equipment.

QUICK FACTS

- TYPE: Insert Hopper
- VEHICLE: ¾-ton –1-ton pick-up trucks
- LENGTH: 8 foot
- CAPACITY: 2.0 cubic yds
- MATERIALS: Salt, 50/50 salt-sand, and sand
- CONSTRUCTION: Polyethylene

Meyer Polyhawk.
Indestructible hopper provides years of maintenance-free service.



The Meyer® Polyhawk™ is designed to be your spreader not only for this season, but for many to come. Featuring an unprecedented ten-year warranty on the virtually indestructible polyethylene hopper, Meyer dares you to compare the features of the Polyhawk to any other poly hopper spreader on the market.

* 10 year warranty applies to poly hopper only.

Wireless Controls

Meyer includes a standard wireless controller for your gas or electric driven Polyhawk spreader. No wires running underneath your vehicle. No drilling holes in your cab to mount a controller. Simply load your spreader in the back of your truck and you are ready to spread.

Our fully integrated wireless controller allows you to start and choke your engine as well as engage your drive system in a simple to use hand-held, wireless controller.



Spread material exactly where you need it.

With Meyer's two internal and four external baffle adjustment systems, you're able to put down material in the right place, every time. Whether you want to spread four feet to the left, four feet to the right, or spread a thirty foot pattern, you can easily adjust the spreading pattern to meet your unique demands.



Fork Pockets

Standard on the Polyhawk, fork pockets allow you to quickly install or remove the spreader from the vehicle using a forklift.

Swing-up Spinner

The Polyhawk's swing-up spinner assembly makes clean-up, material discharge and off-season storage convenient and easy.

Polyhawk Options



Poly Tarp Kit

Prevents moisture or foreign material from entering the hopper. PART #63684



Sure-Flow™ Vibrator Kit

Delivers over 200 lbs. of force to break up stubborn materials and provide even material flow to the spinner. PART #63390



PV shown with optional equipment.

PV/LPV/Utility LPV
QUICK FACTS

- TYPE:** Insert Hopper
- VEHICLE:**
¾-1 ton pick-up trucks (PV)
½-1 ton pick-up trucks (LPV)
utility vehicles (Utility LPV)
- LENGTH:** 7 and 8 foot (PV)
5, 6, 7 and 8 foot (LPV)
3 and 4 foot (Utility LPV)
- CAPACITY:** 1.8 - 2.0 cubic yds. (PV)
.56 - .96 cubic yds. (LPV)
.3 - .43 cubic yds. (Utility LPV)
- MATERIALS:** Salt, 50/50 salt-sand, and sand
- CONSTRUCTION:**
Carbon or stainless steel (PV)
Stainless steel (LPV and Utility LPV)

Meyer PV.

Maximize the performance of your pick-up.

In the snow and ice control industry, time is money. So go with the leader in pickup truck spreaders...Meyer.® Our versatile line of insert hopper spreaders fit most utility vehicles to 1-ton pick-up trucks and share many of the same time-saving, long-lasting features of our larger MDV series spreaders. Meyer PVs are available in 7 and 8 foot lengths and have 1.8 and 2.0 cubic yard capacities.

The Meyer PV lets you take control.

Meyer's PV operating system is fully controlled from the comfort of the cab. The fully integrated wireless controller allows you to start and choke your engine and engage your drive system in a simple to use hand-held, wireless controller.



- 1 Adjustable Internal Baffles
- 2 Adjustable External Baffles

Puts material exactly where you need it.

Meyer's unique internal/external baffle system (*cutaway shown above*) lets you spread material exactly where you need to put it. The two internal and four external baffles let you spread four feet to the left or four feet to the right, or 30 foot center spread.



Get more from your utility vehicle.

Looking to get more "utility" from your utility vehicle? Then look to Meyer's Utility LPV (low-profile v-box). This all-season belt-over-chain designed spreader conveniently fits into the back of today's most popular utility vehicles. It spreads fertilizer, seed, salt, sand and other top dressings with greater capacity and increased spreading width than hitch-mounted utility vehicle spreaders.



Inverted-V

Our inverted-V helps prevent material from bridging and slowing down the conveyor.



Drag Screen/Chain

Meyer includes many performance-enhancing components as standard. Our screens break up large clumps of material which can cause damage to the drag chain and reduce performance. In addition, we include bolt-in chain shields as standard to prevent material from building up in the drag chain and slowing you down.

PV Options



30-gallon Liquid Pre-Wet System

Decreases salt consumption and reduces ice and snow melt time. PART #63938



Six-inch Side Extensions

Adds approximately .66 cubic yd. capacity to the spreader. PART #63924 (7ft. Carbon) PART #63895 (8ft. Carbon) PART #63925 (7ft. Stainless) PART #63926 (8ft. Stainless)



Sure-Flow™ Vibrator Kit

Delivers 200 pounds of force to break up even the most stubborn materials. PART #63390



MDV shown with optional equipment.



Fork Pockets.

Thanks to our patented fork pockets, no overhead crane is required to move your MDV in and out of your truck. All you need is a forklift to quickly install or remove it from a vehicle.

QUICK FACTS

- TYPE:** Insert Hopper
- VEHICLE:** 15,000 GVW and up
- LENGTH:** 9 foot and 10 foot
- CAPACITY:** 4.0 and 4.5 cubic yds.
- MATERIALS:** Salt, 50/50 salt-sand, and sand
- MATERIAL MOVEMENT SYSTEM:** Drag chain or Auger
- CONSTRUCTION:** Carbon steel or stainless steel

Meyer MDV.

Large capacity with unmatched versatility.

Your customers have demanded more and you plan on delivering. With a Meyer® Medium Duty V-box Spreader (MDV), you'll deliver quality ice control that separates the top dogs from the part-timers. For 15,000 + GVW vehicles, Meyer's MDV is designed to give you increased material capacity and more versatility.

Spinner swings up and out of the way.

Our no-tools-required swing up spinner easily swings up and out of the way for ease of storing the unit flat. Another added benefit of the swing up spinner is at the end of a shift, you can easily unload any material left in the hopper by simply swinging up the spinner and running the conveyor.



Internal/External Baffle

Spreading material where you want it is not a problem with two internal and four external baffles. These easy-to-adjust baffles can be changed in seconds to meet your unique demands..



DROP N LOC Screen

Our Drop N Loc top screens break up large clumps of material which can cause damage to the drag chain and reduce performance.



Wireless Controls

Start and choke your engine and control all spreader functions from inside the warmth of your cab with our easy-to-use controller.

MDV Options



Hydraulic Auger System

Delivers a more even flow of material to the spinner with less moving parts to maintain.
PART #63615 (MDV944)
PART #63619 (MDV1044)



60-gallon Liquid Pre-Wet System

Decreases salt consumption and reduces ice and snow melt time.
PART #64131



12-inch Side Extensions

Adds approximately 2.0 cubic yd. capacity to the spreader.
PART #64127 (MDV944 Carbon)
PART #64129 (MDV1044 Carbon)
PART #64128 (MDV944 Stainless)
PART #64130 (MDV1044 Stainless)



Sure-Flow™ Vibrator Kit

Delivers 200 pounds of force to break up even the most stubborn materials.
PART #63390



UTG shown with Hydraulic Interlock System.



QUICK FACTS

TYPE: Dump Truck Tailgate

VEHICLE: Medium-duty dump trucks (15,000 GVW and up)

INSIDE DUMP BODY WIDTH:

RTG: 78"- 84"

RTG-XL: 84"- 90"

UTG: 88" or 96"

MATERIALS: Salt, 50/50 salt-sand, and sand

MOTOR: Electric or Hydraulic

DISCHARGE OPTIONS:
Driver's Side: Electric or Hydraulic
Center: Electric

CONSTRUCTION: Carbon steel or stainless steel

Meyer UTG/RTGs.

Turn medium-duty dump trucks into high performance salt spreaders.

Getting a good return on your dump truck is important. That's why Meyer® makes the very best Under Tailgate Spreaders (UTG) and Replaceable Tailgate Spreaders (RTG) available. Both spreaders use a combination of a self contained auger with removable spinners. And with or without central hydraulics, our electric tailgate model can easily be added to any dump truck.

To determine which unit is the best fit for you.


First, how much ground clearance do you have from the floor of the dump bed to the ground? If you have less than 44 inches, you need Meyer's Replaceable Tailgate Spreader. If you have 44 inches or more of clearance, you don't need to replace the tailgate, use a Meyer UTG. This unit mounts below the dump body to allow normal dump body operations when the spreader is not in use, saving time by eliminating in-season installation.

Safety Interlock System.

Our Safety Interlock System (electric or hydraulic) – disables the auger when opening the bottom door – maintenance work becomes much safer and easier.




Shown with Electric Interlock System.



Top/Bottom Cleanout

Spinners are easily removed without any tools and a hinged bottom door makes clean out and blockage removal much easier. Paired with our Electric Safety Interlock System, cleaning and maintenance is much safer.



Adjustable Spinner

Adjustable spinner frame on hydraulic models allows you to easily change the height of the spinner mechanism.



Controller


Meyer makes spreader control easy with a fully integrated variable speed controller.



Center discharge for complete lane coverage – a Meyer exclusive.

Whether you need a UTG or RTG, Meyer electric dump truck spreaders are perfect for parking lots because the center drop allows for complete lane coverage. It's only available from Meyer.

TOP VIEW OF SPINNER



QUICK FACTS

- TYPE: Dump Truck Tailgate
- VEHICLE: 15,000 GVW and up
- WIDTH: 102 inches
- FLOW RATE: 240 tons/hr.
- MOTOR: Central hydraulics
- MATERIALS: Asphalt, granular materials
- CONSTRUCTION: Carbon steel or stainless steel



Meyer Tailgate Cross Conveyor.
Conveys hot or cold material on medium-duty vehicles.

The Meyer® Cross Conveyor is the most efficient method of distributing granular or asphalt material on the market today. Whether you are shouldering material, filling a ditch, patching asphalt, or spreading sand*, this heavy-duty conveyor system performs like a workhorse while saving you labor, time and material.

**Requires optional spinner attachment. Not recommended for straight salt application.*



High Temperature Belt Over Chain
High temperature, belt-over chain conveyor makes dump truck functional during non-spreading activities.



Screw-Type Gate Jacks
Allows material output adjustment when loaded.

24" Extension
Can be mounted on either side for optimal material flow.

Tailgate Cross Conveyor Options



Spinner Attachment Kit
The Spinner Attachment Kit includes everything you need to spread sand or sand/salt mix. PART #63959



4-ft. Motorized Conveyor Extension
Extends material drop location approximately four feet for moving a variety of materials for shouldering and trench filling applications. PART #63960



Rear Light Bar Kit
Includes stop, turn and tail lights, three light cluster, junction box and both halves of the 7 pin trailer plug. PART #63957

QUICK FACTS

- TYPE: Broadcast spreader
- VEHICLE: Walk behind
- CAPACITY: 70lbs and 100lbs
- MATERIALS: Salt, 50/50 salt-sand, and sand
- CONSTRUCTION:
Hopper – polypropylene
Frame – carbon steel or stainless (HD)



Hotshot 100 HD

Hotshot Features



Spreader Cover
Provides maximum protection from the elements keeping your materials dry and free flowing.



Hotshot Salt Shield
Prevents the material from spreading in unwanted areas. Standard on all Hotshots.



Self-Lubricating Bearings
The axle and wheel bearings/bushings provide self-lubrication with excellent wear and load-carrying performance.

Meyer Hotshots.
All-season Broadcast Spreaders.

If you are looking for a heavy-duty broadcast spreader for all-season use, look no further. Meyer® Hotshots™ are compact, easy to maneuver and built to handle the extreme conditions of year-round use.

Hotshots are designed to apply a variety of materials including top-dress sand, rock salt, ice melt, limestone and fertilizer. Maximum spread range is from 12 to 18 feet, depending on the model. For spreading in confined areas, Hotshots are equipped with an easy-to-remove deflector shield that prevents the material from flying too far.



Spreader featured with winter tread tires for better traction.

QUICK FACTS

TYPE: Anti-Icer

VEHICLE: 1/2-ton + pick-ups, utility vehicles (100 gal.)

CAPACITY:
100, 200, 300 and 400 Gallon

MATERIALS: Sprays anti-ice, dust control, herbicide and pesticide

MOTOR: 6.5 HP, electric start

PUMP: 8-20 GPM at 60 psi


Visit www.meyerproducts.com for more information on Anti-Icers



Meyer® Anti-Icers.

Meyer's unique space saving tank design Anti-Icer fits between the wheel wells of the vehicle and cab, allowing you to utilize the bed to carry other material or equipment. Available in 100 to 400 gallon capacities, our anti-icers feature 5 adjustable nozzles with 3 spray patterns for each, jet tank agitation and wireless controls.

Reservoir Capacity



Wireless Controls

Wireless control of all functions from inside the cab.



Spray Nozzle

Spray boom features 5 nozzles with 3 different spray patterns.



Optional Electric Hose Reel with Stainless Steel Roller Guides

Makes clean-up quick and easy by pressing one button for rewinding hose.

Prior to installation, check your owner's guide for vehicle GVW requirements.

DISTRIBUTED BY:



Experience The Difference

For the latest product information, visit:
www.meyerproducts.com

REMARKABLE CUSTOMER SUPPORT

For 24 hour product information, our website www.meyerproducts.com is the best place to start, and a great resource for Maintenance Tips, Troubleshooting, FAQs, Service Locations, Operation and Maintenance Manuals, EZ-Match, and a full line of spreader accessories.

If you need service or have a question about the performance of your Meyer Equipment, contact your local authorized Meyer retailer.

PLOW NOW. PAY LATER!

Retail financing is available at participating distributors.

Contact your local distributor for more details.